

# *Reporting Adverse Reactions and HCT/P Deviations*

*FDA AND THE NEW PARADIGM FOR TISSUE  
REGULATION*

*February 1-3, 2005*

*Dallas, Texas*

**Anita Richardson**

Assistant to the Director

Office of Compliance and Biologics Quality

Center for Biologics Evaluation and Research

Food and Drug Administration



CENTER FOR BIOLOGICS EVALUATION AND RESEARCH

# 21 CFR 1271.350 - Reporting

- (a) Adverse reaction reports
- (b) Reports of HCT/P deviations

# Adverse Reaction Reports

You must *investigate any* adverse reaction involving a communicable disease related to an HCT/P that you made available for distribution.

[21 CFR 1271.350(a)(1)]

# Adverse Reaction Reports

You must *report* to FDA an adverse reaction involving a communicable disease if it

- Is fatal
- Is life-threatening
- Results in permanent impairment of function or perm damage to body structure; or
- Necessitates medical or surgical intervention, including hospitalization

# When, Who, How?

- You must submit each report within 15 calendar days of initial receipt of the information
- Establishments that manufacture HCT/Ps or made HCT/Ps available for distribution
- Use Form FDA 3500A (MedWatch)

Obtained from CBER, or electronically from  
[www.fda.gov/medwatch](http://www.fda.gov/medwatch) or [www.hhs.gov/forms](http://www.hhs.gov/forms)

# HCT/P Deviation means an event: (21 CFR 1271.3(dd))

- That represents a deviation from applicable regulations in this part or from applicable standards or established specifications that relate to the prevention of communicable disease transmission or HCT/P contamination; or
- That is an unexpected or unforeseeable event that may related to the transmission or potential transmission of a communicable disease or may lead to HCT/P contamination

# HCT/P Deviation Reporting (21 CFR 1271.350(b))

All HCT/P deviations related to a distributed  
HCT/P

- Must be investigated by the manufacturer
- Must report any such HCT/P deviation
  - That occurred in that facility or in a facility that performed a a manufacturing step for the facility under contract, agreement, or other arrangement
  - Only those related to “Core CGTPs”

# When, Who, How?

- You must report each such HCT/P deviation *that relates to a core CGTP*...within 45 days of the discovery of the event.
- Establishments that manufacture HCT/Ps
- If the HCT/P deviation occurred in your facility or in a facility that performed a mfr step for you under
- Report on Form FDA 3486, electronically or by mail <http://www.fda.gov/cber/biodev/biodev.htm>



DEPARTMENT OF HEALTH AND HUMAN SERVICES  
FOOD AND DRUG ADMINISTRATION

BIOLOGICAL PRODUCT DEVIATION REPORT

\* Indicates required information

FDA USE ONLY

Date Received:

Date Reviewed:

BPD ID:

BPD No.

A. FACILITY INFORMATION	B. BIOLOGICAL PRODUCT DEVIATION (BPD) INFORMATION
<b>1. Reporting Establishment information</b> * Reporting Establishment Name Street Address Line 1 Street Address Line 2 * City * State Country * Zip Code * Point of Contact * Telephone # E-mail <b>2. * Reporting Establishment Identification Number</b> FDA Registration # CLIA # <b>3. If the BPD occurred somewhere other than the above facility, please complete this section and Section A4, otherwise continue onto Section B1.</b> * Establishment Name Street Address Line 1 Street Address Line 2 * City * State Country Zip Code <b>4. Establishment Identification Number:</b> FDA Registration # CLIA #	<b>1. Establishment Tracking #</b> <b>2. Date BPD Occurred</b> <b>3. * Date BPD Discovered</b> <b>4. * Date BPD Reported</b> <b>5. * Description of BPD (use Page 2 for additional space)</b> <a href="#">Go To Page 2</a> <b>6. * Description of Contributing Factors or Root Cause (use Page 3 for additional space)</b> <a href="#">Go To Page 3</a> <b>7. * Follow-Up (use Page 4 for additional space)</b> <a href="#">Go To Page 4</a> <b>8. * Please Enter the 6 Character BPD Code</b> <div style="display: flex; justify-content: space-around; width: 100px;"> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> </div>
<b>C. UNIT / PRODUCT INFORMATION</b> Please check the type of product: <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div>Blood <input type="checkbox"/> (Continued on Page 5)</div> <div>Non-Blood <input type="checkbox"/> (Continued on Page 5)</div> </div>	